

Aplusix 3 - Installation Manual

November 2010

English translation by Arnaud Delobelle

Document written with epsilonwriter

1. Installation types

A **server** installation can be performed with a purchase code starting with the letter "S". In this case, an identifier and a password are required to use Aplusix.

A **standalone installation** can be performed with a purchase code starting with a letter other than "S". In this case, users can create nicknames to use Aplusix.

Up to 6 nicknames can be created with a "Home" licence. Other licences only allow one nickname to be created.

2. Standalone installation

This type of installation will typically be performed on a teacher or student's home computer, or on school standalone computers. It can be carried out with a home, single-user, teacher, or researcher purchase code, but **not with a server code**. If no purchase code is entered, the application will work for a few days\$\$\$ free evaluation period. If a school has purchased a site licence, they will have been provided with a server purchase code as well as a single-user one.

If a previous version of Aplusix (Aplusix Standard, Aplusix II or Aplusix 3 beta) is already installed on the computer, it can coexist with the new version and both versions can be uninstalled independently.

2.1 Installing Aplusix 3 for the first time (standalone computer)

You should follow the instructions in this section if you have never installed Aplusix 3 on your computer or if you have only installed Aplusix 3 beta.

1. Create a new folder called "Aplusix" in a location which is accessible by all potential users (C: is recommended if there are more than one user).
2. Download or copy the Aplusix3.zip archive into this folder.
3. Unzip the archive.
4. Start Aplusix (you must be connected to the internet).

You should be presented with an installation window at this point. If you have a key or a purchase code, select "Enter a key or a licence purchase code", otherwise you can try Aplusix for a few\$\$\$ days without charge.

5. Enter the key or code. If the code is correct, Aplusix will give you details about the licence and you can then proceed to activate it.
6. The start window opens. Click "New nickname" and enter a nickname.

Aplusix is ready!

7. Read the notes below.

2.2 Reinstalling or updating Aplusix 3 (standalone computer)

Follow the instructions in this section if you already have Aplusix 3 on your computer and you want to update it (or if you have decided to install it again). *No purchase code is needed in this case.*

It is possible to keep the current installation on the computer and to install the new one in a different folder. *No purchase code is needed.*

If you want to delete the old installation, proceed as follows:

1. Delete the contents of the Aplusix folder.
2. Download or copy the Aplusix3.zip archive into this folder.
3. Unzip the archive.
4. Start Aplusix. *No purchase code is needed.*

The start window opens. Click on "New nickname" and enter a nickname. Aplusix is ready

2.3 Activating a new licence (standalone computer)

Follow these instructions if you already have installed Aplusix 3 (other than Beta) and you want to activate a new licence because yours has expired or will expire soon.

1. Start Aplusix and select a nickname.
2. In the "File" menu, select "Install a licence"
3. Enter the key or the purchase code. If the code is valid, Aplusix will give you details about the licence. You can then proceed to activate it.

2.4 Notes (standalone computer)

If you want to have a desktop shortcut to Aplusix, open the folder containing the Aplusix application. Right click on the Aplusix icon and select "create shortcut" in the contextual menu. A new icon named "Shortcut to Aplusix" will be created. You can now drag and drop this shortcut to the desktop.

This operation can be repeated for each user account.

There is no risk: when an Aplusix licence is installed on your computer, deleting or otherwise modifying Aplusix will not deactivate the licence. You can always reinstall the application without providing a key or purchase code (Aplusix will use the currently activated licence).

On a standalone computer, it is possible to have a "Single-user" licence, where only one nickname can be created, or a "Home" licence allowing up to six nicknames.

Important: if your purchase code allows several installations (on several computers), do not exceed the number of installations that you have been allocated (usually just one), otherwise other people using the same code will be unable to install Aplusix as you will have used their licence.

A code can allow several installations when it has been purchased by a school for a group of students or when several families have bought a number of licences together.

The AplusixAdmin application included in the archive is not needed when Aplusix is installed on a standalone computer

3. Server installation

This type of installation is performed on a server, typically in a school. A server licence purchase code is needed. When a school buys a "site licence", they are provided with two purchase codes: one for a server licence and another one for a single-user licence.

Follow the instructions in the section "Installing Aplusix for the first time" if Aplusix (Aplusix Standard or Aplusix II) has never been installed on the server before.

Otherwise, you can keep the existing version and still follow the instructions in the following section. In this case, the new version will not use the files of the existing version (classes, teachers, exercises) and its links. Another option is to "update" the existing version to the new one; this will allow you to keep all the files and links from the existing version.

You must be connected to the internet in order to install Aplusix (to download the software and to start AplusixAdmin for the first time).

3.1 Installing Aplusix for the first time (classic server installation)

In a classic installation, all files are in a folder which is accessible by all students. This means that students can cause damage to some files which are needed for Aplusix to run. It is unlikely to happen, in particular if access is given via a shortcut on the student's desktop or start menu. However, it is advisable to backup the installation once it is finished, so that it can be restored if needed.

1. Download the Aplusix3.zip archive onto the server.
2. Move the archive into a folder which students have read and write access to.
3. Unzip the archive
4. Start AplusixAdmin, the Aplusix administration application.
An installation window opens. You need a server key or purchase code.
5. Enter the key or purchase code (you can use copy and paste). If the code is valid, AplusixAdmin will give you details about your licence and then you can proceed to install Aplusix. As this is a server installation, AplusixAdmin creates a file named "CleServeur.sim" containing the key in the "Classes" folder. It is advisable to store a copy of this file in a location which is not accessible by students.
6. A window opens asking you to create the first teacher-administrator account. Fill in the form (the email address is optional – keep the "administrator" box ticked) and make sure that you will not forget the password.
7. A window opens asking for information about your school. Fill in the form.
8. The AplusixAdmin main window opens. It allows you to create classes and teacher accounts. Create a class called "CCC" in order to finish the installation. You will use this class for tests and will be able to delete it later. Quit AplusixAdmin.
9. While still on the server, start Aplusix. Click "New student", select class "CCC" and enter "aaa"

as username, first name, surname and password. Quit Aplusix.

10. Log in as a student on a computer accessible by students (no Windows administrator rights) and find the Aplusix application on the server. If you cannot find it, it is probably located in a folder to which students have no read access. If this is the case, you can either change the student access rights of the folders or move the Aplusix folder to an area which is accessible by students (no need to reinstall).

11. Start Aplusix. Enter "aaa" as both username and password. You should then be able to use Aplusix. Solve a question then check that your work has been saved in "Past Activities". You have now checked that a student can use Aplusix correctly from a student computer.

12. Quit Aplusix and restart it. Click "New student", select class "CCC" and enter "bbb" in the username, surname, first name and password fields. Aplusix should accept these. You have now checked that students can create new student accounts from a student computer.

Aplusix is now ready. The following remains to be done:

- a) create classes with AplusixAdmin
- b) create teacher accounts with AplusixAdmin
- c) make a copy of the Aplusix folder and store it in a location which is not accessible by students.

As things stand, when students want to use Aplusix, they have to fetch it from the server.

In order to avoid this, you can place a shortcut to Aplusix on each student's desktop. You may have a tool to perform this task easily. Otherwise, an IT technician may be able to do this for all students. If not, you can always ask students to create the shortcut themselves the first time they use Aplusix, as follows:

Right-click the on Aplusix icon on the server and select "Copy" in the contextual menu. Then right-click on your desktop and select "Paste shortcut" in the contextual menu. Do not select "Paste" as it would copy the application rather than link to it.

3.2 Installing Aplusix 3 for the first time (secure server installation)

In a secure installation, students are unable to delete files which are crucial to the correct operation of the application. It requires a good knowledge of folder access rights and of file paths. It is more complex and makes updating more difficult. If you are unsure about it, it is recommended that you perform a classic installation and make a copy of the Aplusix folder. This will allow the application to be restored if needed.

- A. Perform steps 1 to 8 of the classic installation, as described in section 2.1, starting from a **folder to which students have read access BUT NOT write access**.
- B. Move the "Classes", "Exercices", and "Professeurs" folders into folders to which students have both read and write access. You can move them to the same folder or to different ones.
- C. Open the file "LesChemins.txt", which is in the "Resources" folder (using Notepad for example, but avoiding Word) and edit the paths to "Classes", "Exercices", and "Professeurs" – you can use relative or absolute paths. Save the file.
- D. Check that you can start AplusixAdmin using your teacher account. If not, the "Professeurs" paths must be incorrect.
- E. Check that Aplusix starts, click "New student" and check that the "CCC" class is an available option.
- F. Check that you can use the "aaa" student account with Aplusix on a student computer.

G. Check that you can create a new "bbb" student account with Aplusix on a student computer.

3.3 Reinstalling or updating Aplusix 3

Follow the instructions in this section if Aplusix 3 is already installed on your server and you want to update it (or if you want to reinstall it). *No purchase code is needed.*

1. In the Aplusix folder, create a new folder named AplusixXXX where XXX is the date (e.g. Aplusix12102010)
2. Move into AplusixXXX all other folders within Aplusix except AplusixXXX, Classes, Exercices and Professeurs.
3. Unzip the Aplusix.zip archive into a temporary folder and move Algebre, Ressources, Aplusix, AplusixAdmin, etc... (everything apart from Classes, Exercices and Professeurs) into the Aplusix folder.
4. Check that AplusixAdmin is working correctly on the server.
5. Check that Aplusix is working correctly on a student computer.

3.4 Licence renewal

Follow the instructions below if Aplusix 3 (other than Beta) is already installed on your computer and you want to activate a new licence because yours has expired or will expire soon.

1. Start AplusixAdmin.
2. Select "Install a licence" in the "File" menu.
3. Enter the new key or purchase code. If the code is valid, Aplusix will display details about the licence. You can then activate the new licence.

3.5 Installation problems or loss of teacher-administratorpassword

Please email contact@epsilonwriter.com

3.6 Notes

The Aplusix licence is installed in the file named "CleServeur.sim" located within the "Classes" folder. You can keep a copy of this file in a secure location.

You can move the Aplusix folder if you wish to do so. Be aware that it will invalidate all desktop shortcuts.

It is advisable to create a (preferably zipped) copy of the Aplusix folder once the installation process has been completed.

You can periodically make a zipped archive of the Aplusix folder. It is a good idea to delete obsolete student files beforehand using AplusixAdmin.